### NIST GCR 17-917-46v1

## Guidelines for Nonlinear Structural Analysis for Design of Buildings

## Part I – General

Applied Technology Council

This publication is available free of charge from: https://doi.org/10.6028/NIST.GCR.17-917-46v1





## Disclaimer

This report was prepared for the Engineering Laboratory of the National Institute of Standards and Technology (NIST) under Contract SB1341-13-CQ-0009, Task Order 13-497. The contents of this publication do not necessarily reflect the views and policies of NIST or the U.S. Government.

This report was produced by the Applied Technology Council (ATC). While endeavoring to provide practical and accurate information, the Applied Technology Council, the authors, and the reviewers assume no liability for, nor express or imply any warranty with regard to, the information contained herein. Users of information contained in this report assume all liability arising from such use.

Unless otherwise noted, photos, figures, and data presented in this report have been developed or provided by ATC staff or consultants engaged under contract to provide information as works for hire. Any similarity with other published information is coincidental. Photos and figures cited from outside sources have been reproduced in this report with permission. Any other use requires additional permission from the copyright holders.

Certain commercial software, equipment, instruments, or materials may have been used in the preparation of information contributing to this report. Identification in this report is not intended to imply recommendation or endorsement by NIST, nor is it intended to imply that such software, equipment, instruments, or materials are necessarily the best available for the purpose.

NIST policy is to use the International System of Units (metric units) in all its publications. In this report, however, information is presented in U.S. Customary Units (inch-pound), as this is the preferred system of units in the U.S. engineering industry.

Cover image – Illustrative concrete shear wall models showing alternative strategies (Ohmura and Deierlein, 2010).

### NIST GCR 17-917-46v1

## Guidelines for Nonlinear Structural Analysis and Design of Buildings

## Part I – General

Prepared for U.S. Department of Commerce Engineering Laboratory National Institute of Standards and Technology Gaithersburg, MD 20899-8600

By

Applied Technology Council 201 Redwood Shores Parkway, Suite 240 Redwood City, CA 94065

This publication is available free of charge from: https://doi.org/10.6028/NIST.GCR.17-917-46v1

April 2017



U.S. Department of Commerce Wilbur L. Ross, Jr., Secretary

National Institute of Standards and Technology Kent Rochford, Acting NIST Director and Under Secretary of Commerce for Standards and Technology

### NIST GCR 17-917-46v1

### **Participants**

### National Institute of Standards and Technology

Steven L. McCabe, Acting NEHRP Director and Group Leader
Jay Harris, Research Structural Engineer
Siamak Sattar, Research Structural Engineer
Matthew S. Speicher, Research Structural Engineer
Kevin K.F. Wong, Research Structural Engineer
Earthquake Engineering Group, Materials and Structural Systems Division, Engineering
Laboratory
www.NEHRP.gov

#### **Applied Technology Council**

201 Redwood Shores Parkway, Suite 240 Redwood City, California 94065 www.ATCouncil.org

#### **Program Management**

Jon A. Heintz (Program Manager) Ayse Hortacsu (Associate Program Manager) Veronica Cedillos (Associate Project Manager)

### Program Committee on Seismic Engineering

Jon A. Heintz (Chair) Michael Cochran James R. Harris James Jirsa Roberto Leon Stephen Mahin James O. Malley Donald Scott Andrew Whittaker

#### **Project Technical Committee**

Gregory G. Deierlein (Project Director) Curt Haselton (Project Director) Stephen T. Bono Wassim Ghannoum Mahmoud Hachem John D. Hooper James O. Malley Silvia Mazzoni Santiago Pujol Chia-Ming Uang

#### **Project Review Panel**

Tony Ghodsi Jerome F. Hajjar Yuli Huang Michael Mehrain Farzad Naeim Charles Roeder Thomas Sabol Mark Saunders John Wallace Kent Yu (ATC Board Contact)

## Preface

In September 2014, the Applied Technology Council (ATC) commenced a task order project under National Institute of Standards and Technology (NIST) Contract SB1341-13-CQ-0009 to develop guidance for nonlinear dynamic analysis (ATC-114 Project). The need for such guidance is identified as high-priority research and development topic (Proposed Research Initiative 6) in NIST GCR 14-917-27 report, *Nonlinear Analysis Research and Development Program for Performance-Based Seismic Engineering* (NIST, 2013), which outlines a research and development program for addressing the gap between state-of-the-art academic research and stateof-practice engineering applications for nonlinear structural analysis, analytical structural modeling, and computer simulation in support of performance-based seismic engineering. In addition, the NIST GCR 09-917-2 report, *Research Required to Support Full Implementation of Performance-Based Seismic Design* (NIST, 2009), also identified the need to improve analytical models for buildings and their components in near-collapse seismic loading.

To help fill this gap, the ATC-114 Project developed a series of reports that provide general nonlinear modeling and nonlinear analysis guidance, as well as guidance specific to the following two structural systems: structural steel moment frames and reinforced concrete moment frames. This *Part I Guidelines* document is the first in the series and provides general guidance. The companion *Part II Guidelines* (NIST GCR 17-917-46v2 and 17-917-46v3) provide further details for steel moment frame and reinforced moment frame systems, respectively. It is envisioned that these *Guidelines* will be used in conjunction with available performance-assessment provisions, or their equivalent, that are appropriate for the specific circumstances.

This *Part I Guidelines* document was developed by the members of the ATC-114 Phase 2 (*Steel Moment Frames*) and ATC-114 Phase 3 (*Reinforced Concrete Moment Frames*) project teams. ATC is indebted to the leadership of Greg Deierlein and Curt Haselton, who served as Project Directors of Phase 2 and 3, respectively. The Project Technical Committee of Phase 2 and 3, consisting of Stephen Bono, Wassim Ghannoum, Mahmoud Hachem, John Hooper, Jim Malley, Silvia Mazzoni, Santiago Pujol, and Chia-Ming Uang monitored and guided the technical efforts of the Project Working Groups, which included Dustin Cook, Ian McFarlane, Gulen Ozkula, Hee Jae Yang, and Zhi Zhou. The Project Review Panel, consisting of Tony Ghodsi, Jerry Hajjar, Yuli Huang, Mike Mehrain, Farzad Naeim, Charles Roeder, Tom Sabol, Mark Saunders, John Wallace, and Kent Yu (ATC Board Representative) provided technical advice and consultation over the duration of the work. The names and affiliations of all who contributed to this report are provided in the list of Project Participants.

ATC also gratefully acknowledges Steven L. McCabe (Contracting Officer's Representative), Jay Harris, Siamak Sattar, Matthew Speicher, and Kevin Wong for their input and guidance throughout the project development process. ATC staff members Veronica Cedillos and Carrie Perna provided project management support and report production services, respectively.

Ayse Hortacsu Associate Program Manager Jon Heintz Program Manager

# **Table of Contents**

| List of Figures       ix         List of Tables       xi         1.       Introduction and Scope       1-1         2.       Overview of Nonlinear Modeling and Analysis Procedure       2-1         2.1       Overview of Seismic Performance Assessment       2-1         2.2       Demand Parameters       2-3         2.2.1       Response Values       2-3         2.2.2       Variability of Response       2-6         2.3       Overview of the Nonlinear Modeling Approach       2-7         2.3.1       Classification of Components by Expected Behavior.       2-8         2.3.2       Deformation-Controlled Components       2-8         2.3.3       Force-Controlled Components       2-16         2.4       Types of Component Models       2-17         2.4.1       Summary of Element Model Types       2-19         2.4.2       Illustrative Moment Frame Models       2-20         2.4.3       Illustrative Braced Frame Models       2-23         2.4.5       Illustrative Braced Frame Models       2-26         2.5       Recommended Procedures for Creating and Calibrating       2-26         2.6       Flowchart Outlining Alternative Modeling Types       2-26         3.6       General Modeling Guidel                      |
|---|
| 1.       Introduction and Scope       1-1         2.       Overview of Nonlinear Modeling and Analysis Procedure       2-1         2.1       Overview of Seismic Performance Assessment       2-1         2.2       Demand Parameters       2-3         2.2.1       Response Values       2-3         2.2.2       Variability of Response       2-6         2.3       Overview of the Nonlinear Modeling Approach       2-7         2.3.1       Classification of Components by Expected Behavior       2-8         2.3.2       Deformation-Controlled Components       2-8         2.3.3       Force-Controlled Components       2-16         2.4       Types of Component Models       2-17         2.4.1       Summary of Element Model Types       2-19         2.4.2       Illustrative Moment Frame Models       2-20         2.4.3       Illustrative Concrete Shear Wall Models       2-22         2.4.4       Illustrative Braced Frame Models       2-23         2.4.5       Illustrative Wood-Frame Shear Panel Models       2-26         2.5       Recommended Procedures for Creating and Calibrating       2-26         2.6       Flowchart Outlining Alternative Modeling Types       2-26         3.1       General Modeling Guidelines   |
| 2.       Overview of Nonlinear Modeling and Analysis Procedure       2-1         2.1       Overview of Seismic Performance Assessment.       2-1         2.2       Demand Parameters       2-3         2.2.1       Response Values       2-3         2.2.2       Variability of Response       2-6         2.3       Overview of the Nonlinear Modeling Approach       2-7         2.3.1       Classification of Components by Expected Behavior       2-8         2.3.2       Deformation-Controlled Components       2-8         2.3.3       Force-Controlled Components       2-16         2.4       Non-Modeled Components       2-16         2.4       Types of Component Models       2-17         2.4.1       Summary of Element Model Types       2-19         2.4.2       Illustrative Moment Frame Models       2-20         2.4.3       Illustrative Concrete Shear Wall Models       2-23         2.4.4       Illustrative Wood-Frame Shear Panel Models       2-25         2.5       Recommended Procedures for Creating and Calibrating       2-26         2.6       Flowchart Outlining Alternative Modeling Types       2-26         3.       General Modeling Guidelines       3-1         3.1       General Modeling Guidelines       < |
| 2.1       Overview of Seismic Performance Assessment.       2-1         2.2       Demand Parameters       2-3         2.2.1       Response Values       2-3         2.2.2       Variability of Response       2-6         2.3       Overview of the Nonlinear Modeling Approach       2-7         2.3.1       Classification of Components by Expected Behavior.       2-8         2.3.2       Deformation-Controlled Components       2-8         2.3.3       Force-Controlled Components.       2-16         2.4       Types of Component Models       2-17         2.4.1       Summary of Element Model Types       2-19         2.4.2       Illustrative Moment Frame Models       2-20         2.4.3       Illustrative Concrete Shear Wall Models       2-22         2.4.4       Illustrative Braced Frame Models       2-25         2.5       Recommended Procedures for Creating and Calibrating       2-26         2.6       Flowchart Outlining Alternative Modeling Types       2-26         3.       General Nonlinear Structural Modeling Requirements       3-1         3.1       General Modeling Guidelines       3-1         3.2       Seismic Mass       3-2         3.3       Gravity Loads       3-3                                  |
| 2.2       Demand Parameters       2-3         2.2.1       Response Values       2-3         2.2.2       Variability of Response       2-6         2.3       Overview of the Nonlinear Modeling Approach       2-7         2.3.1       Classification of Components by Expected Behavior       2-8         2.3.2       Deformation-Controlled Components       2-8         2.3.3       Force-Controlled Components       2-16         2.3.4       Non-Modeled Components       2-16         2.4       Types of Component Models       2-17         2.4.1       Summary of Element Model Types       2-19         2.4.2       Illustrative Moment Frame Models       2-20         2.4.3       Illustrative Concrete Shear Wall Models       2-22         2.4.4       Illustrative Braced Frame Models       2-23         2.4.5       Illustrative Wood-Frame Shear Panel Models       2-26         2.6       Flowchart Outlining Alternative Modeling Types       2-26         3.       General Modeling Guidelines       3-1         3.1       General Modeling Guidelines       3-1         3.2       Seismic Mass       3-2         3.3       Gravity Loads       3-3  |
| 2.2.1Response Values2-32.2.2Variability of Response2-62.3Overview of the Nonlinear Modeling Approach2-72.3.1Classification of Components by Expected Behavior2-82.3.2Deformation-Controlled Components2-82.3.3Force-Controlled Components2-162.3.4Non-Modeled Components2-162.4Types of Component Models2-172.4.1Summary of Element Model Types2-192.4.2Illustrative Moment Frame Models2-202.4.3Illustrative Concrete Shear Wall Models2-232.4.5Illustrative Braced Frame Models2-252.5Recommended Procedures for Creating and Calibrating<br>Component Models using Test Data2-263.General Nonlinear Structural Modeling Requirements3-13.1General Modeling Guidelines3-23.3Gravity Loads3-3  |
| 2.2.2Variability of Response2-62.3Overview of the Nonlinear Modeling Approach2-72.3.1Classification of Components by Expected Behavior.2-82.3.2Deformation-Controlled Components2-82.3.3Force-Controlled Components2-162.4Types of Component Models2-172.4.1Summary of Element Model Types2-192.4.2Illustrative Moment Frame Models2-222.4.3Illustrative Concrete Shear Wall Models2-232.4.4Illustrative Braced Frame Models2-252.5Recommended Procedures for Creating and Calibrating<br>Component Models using Test Data2-262.6Flowchart Outlining Alternative Modeling Types2-263.General Modeling Guidelines3-13.1General Modeling Guidelines3-13.2Seismic Mass3-23.3Gravity Loads3-3   |
| 2.3       Overview of the Nonlinear Modeling Approach       2-7         2.3.1       Classification of Components by Expected Behavior       2-8         2.3.2       Deformation-Controlled Components       2-8         2.3.3       Force-Controlled Components       2-16         2.3.4       Non-Modeled Components       2-16         2.4       Types of Component Models       2-17         2.4.1       Summary of Element Model Types       2-19         2.4.2       Illustrative Moment Frame Models       2-20         2.4.3       Illustrative Concrete Shear Wall Models       2-22         2.4.4       Illustrative Braced Frame Models       2-25         2.5       Recommended Procedures for Creating and Calibrating       2-26         2.6       Flowchart Outlining Alternative Modeling Types       2-26         3.       General Nonlinear Structural Modeling Requirements       3-1         3.1       General Modeling Guidelines       3-1         3.2       Seismic Mass       3-2       3.3         3.3       Gravity Loads       3-3  |
| 2.3.1Classification of Components by Expected Behavior  |
| 2.3.2Deformation-Controlled Components2-82.3.3Force-Controlled Components2-162.3.4Non-Modeled Components2-162.4Types of Component Models2-172.4.1Summary of Element Model Types2-192.4.2Illustrative Moment Frame Models2-202.4.3Illustrative Concrete Shear Wall Models2-232.4.4Illustrative Braced Frame Models2-252.5Recommended Procedures for Creating and Calibrating<br>Component Models using Test Data2-262.6Flowchart Outlining Alternative Modeling Types2-263.General Nonlinear Structural Modeling Requirements3-13.1General Modeling Guidelines3-23.3Gravity Loads3-3   |
| 2.3.2Deformation-Controlled Components2-82.3.3Force-Controlled Components2-162.3.4Non-Modeled Components2-162.4Types of Component Models2-172.4.1Summary of Element Model Types2-192.4.2Illustrative Moment Frame Models2-202.4.3Illustrative Concrete Shear Wall Models2-232.4.4Illustrative Braced Frame Models2-252.5Recommended Procedures for Creating and Calibrating<br>Component Models using Test Data2-262.6Flowchart Outlining Alternative Modeling Types2-263.General Nonlinear Structural Modeling Requirements3-13.1General Modeling Guidelines3-23.3Gravity Loads3-3   |
| 2.3.4Non-Modeled Components2-162.4Types of Component Models2-172.4.1Summary of Element Model Types2-192.4.2Illustrative Moment Frame Models2-202.4.3Illustrative Concrete Shear Wall Models2-222.4.4Illustrative Braced Frame Models2-232.4.5Illustrative Wood-Frame Shear Panel Models2-252.5Recommended Procedures for Creating and Calibrating<br>Component Models using Test Data2-262.6Flowchart Outlining Alternative Modeling Types2-263.1General Modeling Guidelines3-13.2Seismic Mass3-23.3Gravity Loads3-3  |
| 2.3.4Non-Modeled Components2-162.4Types of Component Models2-172.4.1Summary of Element Model Types2-192.4.2Illustrative Moment Frame Models2-202.4.3Illustrative Concrete Shear Wall Models2-222.4.4Illustrative Braced Frame Models2-232.4.5Illustrative Wood-Frame Shear Panel Models2-252.5Recommended Procedures for Creating and Calibrating<br>Component Models using Test Data2-262.6Flowchart Outlining Alternative Modeling Types2-263.1General Modeling Guidelines3-13.2Seismic Mass3-23.3Gravity Loads3-3  |
| <ul> <li>2.4.1 Summary of Element Model Types</li></ul>   |
| 2.4.2       Illustrative Moment Frame Models       2-20         2.4.3       Illustrative Concrete Shear Wall Models       2-22         2.4.4       Illustrative Braced Frame Models       2-23         2.4.5       Illustrative Wood-Frame Shear Panel Models       2-25         2.5       Recommended Procedures for Creating and Calibrating       2-26         2.6       Flowchart Outlining Alternative Modeling Types       2-26         3.       General Nonlinear Structural Modeling Requirements       3-1         3.1       General Modeling Guidelines       3-1         3.2       Seismic Mass       3-2         3.3       Gravity Loads       3-3  |
| <ul> <li>2.4.3 Illustrative Concrete Shear Wall Models</li></ul>  |
| 2.4.4       Illustrative Braced Frame Models  |
| 2.4.5Illustrative Wood-Frame Shear Panel Models2-252.5Recommended Procedures for Creating and Calibrating<br>Component Models using Test Data2-262.6Flowchart Outlining Alternative Modeling Types2-263.General Nonlinear Structural Modeling Requirements3-13.1General Modeling Guidelines3-13.2Seismic Mass3-23.3Gravity Loads3-3   |
| <ul> <li>2.5 Recommended Procedures for Creating and Calibrating<br/>Component Models using Test Data</li></ul>   |
| Component Models using Test Data  |
| <ul> <li>2.6 Flowchart Outlining Alternative Modeling Types</li></ul>   |
| 3.       General Nonlinear Structural Modeling Requirements       3-1         3.1       General Modeling Guidelines       3-1         3.2       Seismic Mass       3-2         3.3       Gravity Loads       3-3  |
| 3.1General Modeling Guidelines3-13.2Seismic Mass3-23.3Gravity Loads3-3  |
| 3.2Seismic Mass3-23.3Gravity Loads3-3   |
| 3.3 Gravity Loads   |
|   |
| 2.4 Competizio Nonlingaritiga 2.2   |
| 3.4 Geometric Nonlinearities  |
| 3.5 Material Properties   |
| 3.6 Floor Diaphragms and Collectors   |
| 3.6.1 Diaphragm Idealization  |
| 3.6.2 Diaphragm Stiffness   |
| 3.6.3 Diaphragm Behavior  |
|   |
| 3.6.4 Diaphragms at Irregularities  |
| <ul><li>3.6.4 Diaphragms at Irregularities</li></ul>  |
|   |
| 3.6.5 Diaphragm Force Output and Meshing  |

| 3.7   | Modeling of Damping  |
|-------|--|
| 3.8   | Torsion  |
| 3.9   | Foundation Modeling  |
|       | 3.9.1 General Methods for Modeling Foundation Systems3-19    |
|       | 3.9.2 Shallow Foundation Systems                             |
|       | 3.9.3 Deep Foundation Systems                                |
|       | 3.9.4 Sensitivity Analysis                                   |
|       | 3.9.5 Foundation Modeling Implementation                     |
|       | 3.9.6 Foundation Acceptance Criteria                         |
| 3.10  | Soil-Structure Interaction with Input Ground Motions         |
| 3.11  | Treatment of Gravity System                                  |
|       | 3.11.1 Modeling P-Delta Effects for Loads on the Gravity     |
|       | System   |
|       | 3.11.2 Explicitly Modeling the Gravity System                |
|       | 3.11.3 Assessing Gravity System Failure Modes                |
| 3.12  | Effects of Non-Modeled Building Stiffnesses                  |
| 3.13  | Modeling of Residual Drifts                                  |
| 0.110 | 110 uning of 1001 unit 2 1110                                |
| Nonli | near Static (Pushover) Analysis Procedure4-1                 |
| 4.1   | Overview of Procedure  |
| 4.2   | Component Modeling Requirements                              |
| 4.3   | Equivalent Static Load                                       |
| 4.4   | Target Displacement  |
| 4.5   | Interpretation of Structural Response                        |
| 4.6   | Limitations of Nonlinear Static Analysis                     |
|       | y  |
|       | near Response-History Analysis Procedure5-1                  |
| 5.1   | Characterization of Earthquake Ground Motions5-1             |
| 5.2   | Numerical Modeling Considerations5-4                         |
|       | 5.2.1 Spatial Errors   |
|       | 5.2.2 Temporal Errors  |
|       | 5.2.3 Convergence  |
| 5.3   | Complete the Analysis and Interpret the Structural Response  |
|       | Results  |
|       |  |
| Perfo | rmance Assessment and Acceptance Criteria6-1                 |
| 6.1   | Story Drift Demands6-2                                       |
| 6.0   | 6.1.1 Story Drift Limits in Building Codes                   |
|       | 6.1.2 Story Drift Limits in Performance-Based Design         |
| 6.2   | Collapses and Other Unacceptable Responses                   |
| 6.3   | Element-Level Acceptance Criteria                            |
|       | 6.3.1 Force-Controlled Actions                               |
|       | 6.3.2 Deformation-Controlled Actions                         |
| 6.4   | Components of the Gravity System6-11                         |
| 6.5   | Acceptance Criteria for Performance Metrics beyond Safety of |
|       | the Structural System  |
| 6.6   | Treatment of Modeling Assumptions through Sensitivity        |
| 0.0   | Analysis   |
| 6.7   | Additional Details on Story Drift Calculations               |
| 0.7   | 1221111111 Details on Story Drift Cureaturons minimum 0 12   |

4.

5.

6.

| Appendix A: Overview of Methods for Response-History Analysis A-1  |  |  |  |
|--|--|--|--|
| Appendix B:  | Consideration of UncertaintiesB-1                                |  |  |
| B.1  | Overview of Uncertainties in the Performance Assessment          |  |  |
|  | ProcessB-1   |  |  |
| B.2  | Rigorous Evaluation of UncertaintiesB-1                          |  |  |
| B.3  | Typical Approach to Treatment of Uncertainties and               |  |  |
|  | Appropriate Interpretation of Structural Response PredictionsB-3 |  |  |
| B.4  | Consideration of Uncertainties when Establishing the             |  |  |
|  | Acceptance CriteriaB-4   |  |  |
|  | B.4.1 OverviewB-4  |  |  |
|  | B.4.2 ASCE/SEI 7-16 Chapter 16 Examples for                      |  |  |
|  | Force-Controlled and Deformation-Controlled                      |  |  |
|  | ComponentsB-5  |  |  |
|  | B.4.3 Acceptance Criteria for Other Structural ResponsesB-7      |  |  |
| Appendix C: Advanced Calibration of Nonlinear Component Models C-1 |  |  |  |
| C.1  | Characteristics of the Supporting Tests or AnalysesC-1           |  |  |
| C.2  | Loading Protocols for Calibration of Strength and Stiffness      |  |  |
|  | DeteriorationC-2   |  |  |
| C.3  | ExampleC-4   |  |  |
| References D-1   |  |  |  |
| Project ParticipantsE-1  |  |  |  |